# C-40
Page 1 of 1
Date 2/87
Revised 9-27-02

## VENTRICULAR DYSRHYTHMIAS: VENTRICULAR TACHYCARDIA WITH A PULSE

## **ACTION/TREATMENT:**

- · ABCs/monitor cardiac rhythm.
- IV access, rate titrated to perfusion as needed.
- Treatment options:
  - STABLE PATIENT or following successful cardioversion or defibrillation of ventricular rhythms:

## Adult

Lidocaine: 1 or 1.5 mg/kg IVP

May repeat half the initial dose (0.5 or 0.75 mg/kg IVP) in 3-5 minutes.

Limit 150 mg/dose.

Maximum (total) dose 3 mg/kg.

**Pediatric** 

Lidocaine: 1.0 mg/kg IVP

 UNSTABLE PATIENT (hypotensive, shortness of breath, chest pain, altered LOC, shock, acute MI, pulmonary edema):

Cardioversion: Monophasic: Biphasic\*:

**Adult:** 100J–200J–300J–360J. 50J–75J–120J–150J–200J

**Pediatric:** 0.5J/Kg–1J/Kg–2J/Kg 1J/Kg–2J/Kg

Premedication (if time and clinical condition permits):

**Adult:** Midazolam 2 mg slow IVP (1 mg/min) age  $\leq$  60.

1 mg slow IVP (1 mg/min) age > 60.

**Pediatric:** Midazolam 1 mg slow IVP (1mg/min) in patients > 20 kg.

## Notes:

- For hemodynamically unstable patients, use cardioversion before antiarrhythmia therapy.
- If "synch" mode does not work, (e.g., wide complex ventricular tachycardia), defibrillate at same energy level.
- \*Cardioversion energy levels vary according to the type of waveform (monophasic or biphasic). Follow manufacturer's recommendations. If none listed, utilize energy levels as noted above.
- Documentation should indicate if monophasic or biphasic energy was used and the amount of Joules administered.
- When cardioverting pediatric patients:
- > Patients younger than 1 year/10 Kg weight: use "infant" paddles on patients.
- > Patients > 1 year/10 Kg: use adult paddles and the anterior/posterior placement.
- If AICD discharge ≥ 2 firings or unstable (loss of consciousness, poor vitals signs, or recurrent ventricular arrhythmia) after AICD discharge, consider lidocaine.

Shaded text indicates BH order

Unshaded text indicates standing order

TxGuide:cardiac:c-40 Implementation Date: 12-16-02